From: Ex. 4 - CBI
Sent: 7/18/2012 1:42:49 PM

To: "Kelley Chase/R3/USEPA/US@EPA" < Chase Kelley@epamail.epa.gov>

CC: Ex.4-CBI

Subject: RE: EXTERNAL: Fw: Microbac Labs Micro reports-- 1213584.pdf, 1213687.pdf, 1213978.pdf

Kelley:

We do agree with Dave Russell's comments. Our comments were in addition to Dave's.

From: Kelley Chase [mailto:Chase.Kelley@epamail.epa.gov]

Sent: Wednesday, July 18, 2012 11:26 AM

To: Ex. 4 - CBI
Cc: Ex. 4 - CBI

Subject: EXTERNAL: Fw: Microbac Labs Micro reports-- 1213584.pdf, 1213687.pdf, 1213978.pdf

Hi Ex. 4 - CBI

Per the attached e-mail - the R3 lab (Cindy Coporale) has passed your comments onto Dave Russell (R3 Biologist) for review. However, they are asking for clarification as to whether you are in agreement with Dave's validation report.

Do we have final agreement on the final qualifiers? If so - Ex. 4 - CBI should be able to proceed with entering the qualifiers in Scribe - right? If not - we need to have a call with the folks at Ft Meade ASAP.

Please touch base to let me know where we stand.

Thanks again for following up on this - Kelley

---- Forwarded by Kelley Chase/R3/USEPA/US on 07/18/2012 11:14 AM -----

From: Cynthia Caporale/ESC/R3/USEPA/US

To: Kelley Chase/R3/USEPA/US@EPA

Date: 07/17/2012 05:09 PM

Subject: Re: Fw: Microbac Labs Micro reports-- 1213584.pdf, 1213687.pdf, 1213978.pdf

Hi Kelley,

Yes I received it but the format is not presented as a change request. Do those comments in red mean that these are items SERAS identified but it wasn't in the validation report? Or does this mean SERAS agrees with the validation report? I forwarded to Dave anyway since he might understand better than me.

Cindy

Cynthia Caporale, Chief

OASQA Laboratory Branch

U.S. EPA Region III

Environmental Science Center

Fort Meade, MD

(410) 305-2732

Fax: (410) 305-3095


From: Kelley Chase/R3/USEPA/US

To: Cynthia Caporale/ESC/R3/USEPA/US@EPA

Date: 07/17/2012 05:03 PM

Subject: Fw: Microb and Labs Micro reports-- 1213584.pdf, 1213687.pdf, 1213978.pdf

DIM0131703 DIM0131703



DIM0131703 DIM0131704